

THE FLOOR-WISE USER OF RESIDENTIAL REHAB BUILDING IS UNDER:

Floors	Occupancy per floor Bldg. No. 1,3,4,7,8,11,12,14.	Occupancy per floor Bldg. No. 2,5,6,9,10,13.
3 rd level basement (-9.90 mtrs.)	Surface car parking by using 6.00 mtrs. wide two-way ramp, U.G. Tank with pump room.	
2 nd Level basement (-6.60 mtrs.)	Surface car parking by using 6.00 mtrs wide two-way ramp.	
1 st Level basement (-3.30 mtrs.)	Surface car parking by using 6.00 mtrs. wide two-way ramp, and D.G. set.	
Ground floor	Surface car parking, Entrance lobby, Fire Panel, Shops, Welfare Center, Meter Room, Waste Collection, Dispensary, Bank, Police Chowky and Electric Substation.	
Podium floor	Surface car parking for Four Wheelers & Two wheelers by 6.00 mtrs wide two way ramp, extra R.G.	
1 st to 6 th Floor	04 flats on each floor	06 flats on each floor
7 th , 9 th , 11 th , 13 th , 15 th , 17 th , 19 th and 21 th floor	04 flats on each floor + Refuse area.	06 flats on each floor + Refuse area.
8 th , 10 th , 12 th , 14 th , 16 th , 18 th , 20 th , and 22 nd floor	04 flats on each floor.	06 flats on each floor.
Terrace floor.	Open to sky (Treated as refuge area).	

The Details of Staircase and Lift:

a) Staircase:

Type of Bldg.	No. of staircase	Width	From - To	Type of staircase
Building No. 01	01	1.50 mtrs.	From 3 rd basement to terrace level	Enclosed
Building No. 02	01	1.50 mtrs.	From 3 rd basement to terrace level	Enclosed
Building No. 03	01	1.50 mtrs.	From 3 rd basement to terrace level	Enclosed
Building No. 04	01	1.50 mtrs.	From 3 rd basement to terrace level	Enclosed
Building No. 05	01	1.50 mtrs.	From 3 rd basement to terrace level	Enclosed
Building No. 06	01	1.50 mtrs.	From 3 rd basement to terrace level	Enclosed
Building No. 07	01	1.50 mtrs.	From 3 rd basement to terrace level	Enclosed
Building No. 08	01	1.50 mtrs.	From 3 rd basement to terrace level	Enclosed
Building No. 09	01	1.50 mtrs.	From 3 rd basement to terrace level	Enclosed
Building No. 10	01	1.50 mtrs.	From 3 rd basement to terrace level	Enclosed
Building No. 11	01	1.50 mtrs.	From 3 rd basement to terrace level	Enclosed
Building No. 12	01	1.50 mtrs.	From 3 rd basement to terrace level	Enclosed
Building No. 13	01	1.50 mtrs.	From 3 rd basement to terrace level	Enclosed
Building No. 14	01	1.50 mtrs.	From 3 rd basement to terrace level	Enclosed
Common staircase for podium	04	2.00 mtrs.	From Ground floor to podium floor level.	Enclosed

The proposed staircases of each Building as shown on the plans are enclosed type, externally located and adequately ventilated to outside air above ground floor and smoke check lobby for the basement & cut off lobby for entry to basement at ground level.