THE FLOOR-WISE USER OF RESIDENTIAL REHAB BUILDING IS UNDER:

Floors	Occupancy per floor Building No. 29,31,33,34,35	Occupancy per floor Building No. 30,32,36		
3 rd level basement (-9.90 mtrs.)	Surface car parking, U.G. Tank with pump room			
2 nd Level basement (-6.60 mtrs.)	Surface car parking for Four Wheelers			
1 st Level basement (-3.30 mtrs.)	Surface car parking for Four Wheelers& D.G. Set			
Ground floor	Surface car parking for Two Wheelers & Four Wheelers Entrance lobby, Fire Panel, Electric Substation, Police Chowkie, Shops, Dispensary, Welfare Center			
Podium floor	Surface car parking for Four Wheelers, Community Hall, Balwadi, Library, Society Office, Fitness Center, Extra R.G.			
1 st to 6 th Floor	04 Flats on Each Floor	06 Flats on Each Floor		
7 th , 9 th , 11 th , 13 th , 15 th , 17 th , 19 th and 21 th Floor	04 Flats on Each Floor + Refuse area	06 Flats on Each Floor + Refuse area		
8 th ,10 th ,12 th ,14 th ,16 th ,18 th ,20 th , and 22 nd floor	04 Flats on Each Floor	06 Flats on Each Floor		
Terrace floor.	Open to sky (Treated as refuge area).			

The Details of Staircase and Lift:

a) Staircase:

Type of Bldg.	No. of staircase	Width	From - To	Type of staircase
Building No. 29	01	1.50mtrs	From 3 rd basement to terrace level	Enclosed
Building No. 30	01	1.50mtrs	From 3 rd basement to terrace level	Enclosed
Building No. 31	01	1.50mtrs	From 3 rd basement to terrace level	Enclosed
Building No. 32	01	1.50mtrs	From 3 rd basement to terrace level	Enclosed
Building No. 33	01	1.50mtrs	From 3 rd basement to terrace level	Enclosed
Building No. 34	01	1.50mtrs	From 3 rd basement to terrace level	Enclosed
Building No. 35	01	1.50mtrs	From 3 rd basement to terrace level	Enclosed
Building No. 36	. 01	1.50mtrs	From 3 rd basement to terrace level	Enclosed
Common staircase for podium	03	2.00 mtrs.	From Ground floor to podium floor level.	Enclosed

The proposed staircases of each building as shown on the plans are enclosed type, externally located and adequately ventilated to outside air above ground floor and smoke check lobby for the basement & cut off lobby for entry to basement at ground level.